



## DECLARATION OF PERFORMANCE

No: 10251

1.

Unique identification code of the product-type:

Wafer head screw sharp point, for wood/steel joists  
(Surface treatment: phosphated, bright zinc plated, painted, Dacro 500 hr)  
Dimension:  
4,2xL (L = 13 - 65 mm)  
4,8xL (L = 75 - 100 mm)

2.

Article number:

413330, 513320, 513322, 513324, 513326, 513332, 513334, 513350, 513354, 571113,  
571125, 572113, 572125, 572133, 572151, 572165, 572613, 572616, 572619, 572625,  
572632, 572638, 572645, 572650, 573613, 573619, 573625, 573626, 573627, 573628,  
573629, 573632, 573650, 573652, 575100, 575185, 575613, 575625, 578175

3.

Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Screws intended for the fixing of gypsum plasterboard (or gypsum boards with fibrous reinforcement) to timber (recommended mounting depth 20 mm) and metal (recommended mounting depth 10 mm) in building construction works. They can also be used for the construction of the framing and for the connection between substructure and load bearing components and for fixing boards together, in accordance with EN 14566:2008+A1:2009.

4.

Name and contact address of the manufacturer as required pursuant to Article 11(5):

ESSVE Produkter AB  
Box 7091  
SE 164 07 Kista  
Sweden  
Mail: [info@essve.se](mailto:info@essve.se)

5.

Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

N.A.





# DECLARATION OF PERFORMANCE

No: 10251

6.

System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 4

7.

In case of the declaration of performance concerning a construction product covered by a harmonised standard:

N.A  
performed:  
under system:  
and issued:

8.

In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

N.A  
issued:  
in the basis of:  
performed: under system:  
and issued:

9.

Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A1	EN 14566:2008+A1:2009 Table ZA.1
Flexural strength	pass	EN 14566:2008+A1:2009 Table ZA.1





# DECLARATION OF PERFORMANCE

No: 10251

10.

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Viktor Bukowski, Product Developer/Technical expert – Fasteners

(name and function

Sollentuna 2013-06-28

(place and date of issue)

(signature)

